Nº 0001285 April 1311012



788/LUIM/1157

EBONYI STATE OF NIGERIA

Alsur/10/38/7/2012/

Certificate of Occupancy

This is to certify that ANTHONY ANUNOBI CHUKWUKA of NO. 11 UDI STREET, ABAKAALIKI. (hereinafter called the holder/holders) is/are granted a right of occupancy in respect of PROPERTY KNOWN AS PLOTS NO. 285 IN BLOCK NO. '1' AZUIYIUDENE LAYOUT, ABAKALIKI. described in the Schedule and more particularly marked and delineated in the PLAN NO. HT/EB649/2009 attached to this certificate and thereon bordered or verged RED for the term of 99 (NINETY-NINE) year(s) from the 1ST JANUARY, 2012 subject to the provision of the LAND USE ACT, 1978 and to the provisions and conditions implied by virtue of the said Act and the Regulations for the time being in force made under the said Act and to the covenants and conditions herein contained

- 1(a) RENT: N465.00 (FOUR HUNDRED AND SIXTY-FIVE NAIRA) per annum.

  (b) The rent hereby reserved shall be revised at the end of every 5 (FIVE) year(s) of the term of this grant.

  (c) Buildings to the value of not less than N1,000,000.00 (0NE MILLION NAIRA) to the satisfaction and in accordance with plans approved by the A.P.A or such officer as the A.P.A may appoint.
- (d) Time within which such building(s) is/are to be erected and completed fit for occupation and use. Within 3 (THREE) year(s) from the date of commencement of the term of this certificate.
- (e) Purpose for which the land granted may be used: RESIDENTIAL
- 2. This certificate of occupancy is issued subject to the following Covenants and conditions being observed by the holder/holders:-
- (a) Not to erect or build or permit to be erected or built on the land hereby granted any buildings other than those covenanted to be erected by virtue of this certificate of occupancy and the regulations under the said Act not to make or permit to be made any addition or alteration to the said buildings to be erected except in accordance with plans and specification approved by the A.P.A of Ebonyi

State of Nigeria or any other officer appointed by him.

(b) To keep the exterior and interior of the buildings to be erected and the outbuilding and erections which may at any time during the term hereby created be erected on the land hereby granted and all additions to such buildings and outbuildings and the walls, fences and appurtenances thereof in good and tenantable repair and condition.

(c) Not to use the building on the said land whether now erected hereafter thereon for any purpose other than

(d) Not to alienate the right of Certificate of Occupancy hereby granted or any part thereof by sale, assignment, mortgage, transfer of possession, sublease, or bequest or otherwise howsoever without the consent of the GOVERNOR first had and obtained.

(e) Not to permit anything to be used or done upon any part of the granted premises which shall be noxious, noisy or offensive or be of any inconvenience or annoyance to tenants or occupiers of premises adjoining or near thereto.

To maintain standards of accommodation and sanitary and living conditions conformable with standards obtaining in the neighbourhood.

(g) To pay forthwith with or without demand to the DEPUTY DIRECTOR LAND or other persons appointed by him before the issue of this certificate, all survey fees, registration fees, and other charges due in respect of preparation and issue and registration of this

(h) Paid an improvement premium of N0.00 (NIL)

To install and operate water borne sewage system within six months from the date the buildings erected on the plot are connected to piped water-supply.

(j) To pay with or without demand on the first day of January of each year the rent reserved in these presents or any other rent as may be revised in future.

GIVEN under my hand this.

ARC. NWOGHA FRIDAY MOSES COMMISSIONER FOR LANDS, SURVEY AND HOUSING EBONYI STATE OF NIGERIA

(By virtue of Powers to grant Certificate of Occupancy and Right of Occupancy delegated to him by the Governor, under Section 4(a) and (b) of the Land Use Edict (now Law) No.2 of 1979 (as applicable in Ebonyi State), and Section 45 of the Land Use Act No.6 of 1978.

Signature of Holder / Holders ......

Signature of Witness

T- C Occupation of Witness CAVIL

MINISTRY OF LANDS, SURVEY & HOUSING ABAKALIKI


wooglos 2





Title Holder: ANTHONY ANUNOBI CHUKWUKA

Old File Number: EBS/LU/AI/1157 New File Number: PAL/2560

Survey Plan No: HT/EB649/2009







The within instrument in the opinion of the commissioner of stamp duties chargeable with the sum of N100.00 and the duty thereon has been assessed accordingly.

Commissioner For Stamp Duties 0220020 of 9/2/2010

This instrument was delivered for registration at 15:57 O'Clock in the AFTERNOON on 20th April, 2012 and registered as No 44 at page 44 Volume 212 of the Ministry of Lands Registry in the Office at Abakaliki

Registrar of Deeds













## SURVEY DESCRIPTION OF LANDED PROPERTY OF PAL/2560

that parcel of land at AZUIYIUDENE L/O ABAKALIKI in the ABKALIKI  cal Government Area of the Ebonyi State of Nigeria, containing an Area of approximately 64.52 Square Metres shown on Ebonyi State of Nigeria Survey Plan No.  HT/EB649/2009 (Tracing No. ) the boundaries of which are described below.  CJ41507 the coordinates of which are:  034.290 Metres North and 450.112 Metres East of a concrete pillar marked N. K. 48 the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:  Bearing Lengths in: M  S/N From Degree (°) Minute (') Length To  CJ41507 203 30 15.24 CJ41508  CJ41509 23 27 15.24 CJ41509  CJ41509 23 27 15.24 CJ41507  THE STARTING POINT	Square Metres shown on Ebonyi State of Nigeria, containing an Area of approximately S4.52 Square Metres shown on Ebonyi State of Nigeria Survey Plan No. HT/EB649/2009 (Tracing No. ) the undaries of which are described below.  CJ41507 the coordinates of which are:  CJ4.290 Metres North and 450.112 Metres East of a concrete pillar marked I.K 48 the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:  S/N From Degree (°) Minute (') Length To  CJ41507 203 30 15.24 CJ41508  CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507			ANTHONY CHUK	WUKA ANUNOE	BI	
CJ41507  CJ41508  CJ41508  CJ41509  CJ41509  CJ41510  CJ41507  CJ41507  CJ41510  CJ41507  CJ41507  CJ41507  CJ41507  CJ41509  CJ41510  CJ41507  CJ41507  CJ41507  CJ41507  CJ41509  CJ41509  CJ41510  CJ41507	Square Metres shown on Ebonyi State of Nigeria, containing an Area of approximately  14.52	that pare	cel of land at -	AZUIYIUDENE I	_/O ABAKALIK	I in the ABK	ALIKI
A.52 Square Metres shown on Ebonyi State of Nigeria Survey Plan No.  HT/EB649/2009 (Tracing No. ) the undaries of which are described below.  CJ41507 the coordinates of which are:  34.290 Metres North and 450.112 Metres East of a concrete pillar marked and a concrete pillar marked below.  K 48 the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:  Bearing Lengths in: M  S/N From Degree (°) Minute (') Length To  CJ41507 203 30 15.24 CJ41508  CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	HT/EB649/2009 (Tracing No. ) the undaries of which are described below.  Acting at concrete pillar marked CJ41507 the coordinates of which are:  34.290 Metres North and 450.112 Metres East of a concrete pillar marked LK 48 the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:    Bearing   Lengths in: M   S/N   From   Degree (°) Minute (')   Length   To						
HT/EB649/2009 (Tracing No ) the undaries of which are described below.  Arting at concrete pillar marked	HT/EB649/2009 (Tracing No. ) the undaries of which are described below.  CJ41507 the coordinates of which are:  CJ41507 Metres East of a concrete pillar marked and all bearings  Bearing Lengths in: M  CJ41507 Length To  CJ41507 203 30 15.24 CJ41508  CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT						
CJ41507 Length To  CJ41507 the coordinates of which are:  CJ41507 the coordinates of which are:  CJ41507 the coordinates of which are:  CJ41290 Metres North and 450.112 Metres East of a concrete pillar marked of the coordinates of which are:  CJ41290 Metres North and 450.112 Metres East of a concrete pillar marked of the coordinates run straight lines the bearings and length of which are as follows:  CJ41290 Lengths in: M  CJ41290 Length To  CJ41	concrete pillar marked	Ministra					
CJ41507 Length To  CJ41507 the coordinates of which are:  CJ41507 the coordinates of which are:  CJ4290 Metres North and 450.112 Metres East of a concrete pillar marked of the coordinates of which are:  CJ4290 Metres North and 450.112 Metres East of a concrete pillar marked of the coordinates of which are:  CJ4290 Metres North and 450.112 Metres East of a concrete pillar marked of the coordinates of which are:  CJ4290 Metres North and 450.112 Cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:  CJ41508 Degree (°) Minute (') Length To  CJ41507 Degree (°) Minute (') Length To  CJ41508 To  CJ41509 Degree (°) To	Acting at concrete pillar marked CJ41507 the coordinates of which are:  134.290 Metres North and 450.112 Metres East of a concrete pillar marked of the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:    Bearing   Lengths in: M	<u> </u>	HT/EB649/20	009 (Tr	racing No		) the
Metres North and 450.112 Metres East of a concrete pillar marked N.K. 48 the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:    Bearing   Lengths in: M	Metres North and 450.112 Metres East of a concrete pillar marked LK 48	oundaries (	of which are de	scribed below.			
Metres North and 450.112 Metres East of a concrete pillar marked N.K. 48 the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:    Bearing   Lengths in: M	Metres North and 450.112 Metres East of a concrete pillar marked LK 48			CJ415	07		
N.K 48	the origin of ABAKALIKI cadastral surveys. The boundaries run straight lines the bearings and length of which are as follows:    Bearing   Lengths in: M			narked			
S/N   From   Degree (°)   Minute (`)   Lengths in: M   Length   To	Bearing   Lengths in: M   To	034.290	Metres Nor	th and <b>450.112</b>	Metres East	of a concrete	pillar marked
Bearing   Lengths in: M   To	S/N   From   Degree (°)   Minute (`)   Length   To	N. K. 48	the o	rigin of ABAKAL	IKI cadastr	al surveys. The b	oundaries run
Bearing   Lengths in: M   To	S/N   From   Degree (°)   Minute (')   Length   To	straight li	nes the bearing	s and length of whic	h are as follows:		
S/N         From         Degree (°)         Minute (')         Length         To           CJ41507         203         30         15.24         CJ41508           CJ41508         300         11         30.48         CJ41509           CJ41509         23         27         15.24         CJ41510           CJ41510         120         15         30.48         CJ41507           THE         STARTING         POINT         POINT	S/N         From         Degree (°)         Minute (')         Length         To           CJ41507         203         30         15.24         CJ41508           CJ41508         300         11         30.48         CJ41509           CJ41509         23         27         15.24         CJ41510           CJ41510         120         15         30.48         CJ41507           THE         STARTING         POINT           Property beacons are concrete pillars, all bearing and length approximate and all bearings	3					
CJ41507 203 30 15.24 CJ41508  CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41507 203 30 15.24 CJ41508  CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41410  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  Property beacons are concrete pillars, all bearing and length approximate and all bearings			Ве	aring	Lengths in: I	М
CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41410  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  Property beacons are concrete pillars, all bearing and length approximate and all bearings	S/N	From	Degree (°)	Minute (')	Length	То
CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41410  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  Property beacons are concrete pillars, all bearing and length approximate and all bearings	======			=======		
CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41508 300 11 30.48 CJ41509  CJ41509 23 27 15.24 CJ41410  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  Property beacons are concrete pillars, all bearing and length approximate and all bearings				49.0	========	==========
CJ41509 23 27 15.24 CJ41410  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  property beacons are concrete pillars, all bearing and length approximate and all bearings		CJ41507	203	30	15 24	C141508
CJ41509 23 27 15.24 CJ41410  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41509 23 27 15.24 CJ41510  CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  property beacons are concrete pillars, all bearing and length approximate and all bearings		CJ41507	203	30	15.24	CJ41508
CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  property beacons are concrete pillars, all bearing and length approximate and all bearings						
CJ41510 120 15 30.48 CJ41507  THE STARTING POINT	CJ41510 120 15 30.48 CJ41507  THE STARTING POINT  property beacons are concrete pillars, all bearing and length approximate and all bearings						
THE STARTING POINT	THE STARTING POINT  property beacons are concrete pillars, all bearing and length approximate and all bearings		CJ41508	300	11	30.48	CJ41509
THE STARTING POINT	THE STARTING POINT  property beacons are concrete pillars, all bearing and length approximate and all bearings		CJ41508	300	11	30.48	CJ41509
	property beacons are concrete pillars, all bearing and length approximate and all bearings		CJ41508 CJ41509	300	11 27	30.48	CJ41509
			CJ41508 CJ41509	300 23 120	11 27 15	30.48 15.24 30.48	CJ41509
			CJ41508 CJ41509	300 23 120	11 27 15	30.48 15.24 30.48	CJ41509

For Surveyor-General

Ebonyi State of Nigeria

ELIMS® Beacon Capture Template (Main Page)