
Nº 0000709 MW/33/011



Certificate of Occupancy

LDR No:		File No: PAL/956
---------	--	------------------

This is to certify that ONYEKACHUKWU NNEBE of NO 1 IKENGA STREET (hereinafter called the holder/holders) is/are granted a right of occupancy in respect of LAND SITUATED AND KNOWN AS OKWASE INVIOKWU INVIMAGU UNUHU LAYING ALONG ONOGOLU STREET described in the Schedule and more particularly marked and delineated in the PLAN NO. DA/EB 83/2010 attached to this certificate and thereon bordered or verged RED for the term of 99 (NINETY-NINE) year(s) from the 1ST JANUARY, 2011 subject to the provision of the LAND USE ACT, 1978 and to the provisions and conditions implied by virtue of the said Act and the Regulations for the time being in force made under the said Act and to the covenants and conditions herein contained.

1(a) RENT: N660.00 (SIX HUNDRED AND SIXTY-SIX NAIRA) per annum.

- (b) The rent hereby reserved shall be revised at the end of every 5 (FIVE) year(s) of the term of this grant.
 (c) Buildings to the value of not less than N1,000.000.00 (ONE MILLION NAIRA) to the satisfaction and in accordance with plans approved by the A.P.A or such officer as the A.P.A may appoint.
- (d) Time within which such building(s) is/are to be erected and completed fit for occupation and use. Within 3 (THREE) year(s) from the date of commencement of the term of this certificate.
- (e) Purpose for which the land granted may be used: RESIDENTIAL
- 2. This certificate of occupancy is issued subject to the following Covenants and conditions being observed by the holder/holders:-
- (a) Not to erect or build or permit to be erected or built on the land hereby granted any buildings other than those covenanted to be erected by virtue of this certificate of occupancy and the regulations under the said Act not to make or permit to be made any addition or alteration to the said buildings to be erected except in accordance with plans and specification approved by the A.P.A of Ebonyi State of Nigeria or any other officer appointed by him.

(b) To keep the exterior and interior of the buildings to be erected and the outbuilding and erections which may at any time during the term hereby created be erected on the land hereby granted and all additions to such buildings and outbuildings and the walls, fences and

appurtenances thereof in good and tenantable repair and condition.

Not to use the building on the said land whether now erected hereafter thereon for any purpose other than

- (d) Not to alienate the right of Certificate of Occupancy hereby granted or any part thereof by sale, assignment, mortgage, transfer of possession, sublease, or bequest or otherwise howsoever without the consent of the GOVERNOR first had and obtained.
- (e) Not to permit anything to be used or done upon any part of the granted premises which shall be noxious, noisy or offensive or be of any inconvenience or annoyance to tenants or occupiers of premises adjoining or near thereto.

To maintain standards of accommodation and sanitary and living conditions conformable with standards obtaining in the neighbourhood.

(g) To pay forthwith with or without demand to the DEPUTY DIRECTOR LAND or other persons appointed by him before the issue of this certificate, all survey fees, registration fees, and other charges due in respect of preparation and issue and registration of this certificate.

(h) Paid an improvement premium of N0.0 (N/A)

(i) To install and operate water borne sewage system within six months from the date the buildings erected on the plot are connected to piped water-supply.

(j) To pay with or without demand on the first day of January of each year the rent reserved in these presents or any other rent as may be revised in future.

ARC. NWOGHA FRIDAY MOSES

COMMISSIONER FOR LANDS, SURVEY AND HOUSING EBONYI STATE OF NIGERIA

(By virtue of Powers to grant Certificate of Occupancy and Right of Occupancy delegated to him by the Governor, under Section 4(a) and (b) of the Land Use Edict (now Law) No.2 of 1979 (as applicable in Ebonyi State), and Section 45 of the Land Use Act No.6 of 1978.

OKPARA DANVIEL T Occupation of Witness ENIL SERVANT

Address Ministris of Caros. Survey and Housing Al

31/1/0/2




Title Holder: ONYEKACHUKWU NNEBE

New File Number: PAL/956 Old File Number: EBS/LU/AI/1449

Survey Plan No: DA/EB 83/2010

Property Description: LAND SITUATED AND KNOWN AS OKWASE INYIOKWU

INYIMAGU UNUHU LAYING ALONG ONOGOLU STREET







The within instrument in the opinion of commissioner of stamp duties chargeable the sum of N100.00 and the duty the been assessed accordingly. This instrument was delivered for registration at 8:35 O'Clock in the FORENOON on 3rd 16 oktober, 2011 and registered as No 52 at page 52 three 176 of the Ministry of Lands Registry

e at Abakaliki

Commissioner For Stamp Du 0029258 OF 19/7/010

mm Registra of Deeds







EBONYI LANDS INFORMATION MANAGEMENT SYSTEM

SURVEY DESCRIPTION OF LANDED PROPERTY OF ...

PAL/956

All that parcel of land at ALONG ONOGOLU STREET in the EBONYT Licol Government Area of the Ebonyi State of Nigeria, containing an Area of approximately 1655,536 Square Metres / Square Hectares shown on Ebonyi State of Nigeria Survey Plan No DAVEB 83/2010 (Tracing No) the bow lifes of which are described below. Starting at concrete pillar marked AS 77573 the coordinates of which are: 255718.003 Metres North and 626779. 71 Metres East of a concrete pillar marked NAT ZERO the origin of ABAKALIKI cadastral surveys. The boundaries run in straight lines the bearings and length of which are as follows: Bearing Lengths in: M S/N From Degree (°) Minute (') Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	ONYEKACHUKWU NNEBE
Government Area of the Ebonyi State of Nigeria, containing an Area of approximately 655,596 Square Metres / Square Hectares shown on Ebonyi State of Nigeria Survey Plan DA/EB 83/2010 (Tracing No.) the boundaries of which are described below. AS 77573 the coordinates of which are: 255718.003 Metres North and 626779. 71 Metres East of a concrete pillar marked NAT ZERO the origin of ABAKALIKI cadastral surveys. The boundaries run in straight lines the bearings and length of which are as follows: Bearing Lengths in: M S/N From Degree (°) Minute (') Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572	
Square Metres / Square Hectares shown on Ebonyi State of Nigeria Survey Plan **DA/EB 83/2010** (Tracing No) the boundaries of which are described below. Starting at concrete pillar marked AS 77573 the coordinates of which are: 255718.003 Metres North and 626779. 71 Metres East of a concrete pillar marked NAT ZERO. the origin of ABAKALIKI cadastral surveys. The boundaries run in straight lines the bearings and length of which are as follows: Bearing Lengths in: M	All that parcel of land atALONG ONOGOLU STREET in theEBONYI
DA/EB 83/2010 (Tracing No) the boundaries of which are described below. Starting at concrete pillar marked AS 77573 the coordinates of which are: 255718.003 Metres North and 626779.71 Metres East of a concrete pillar marked NAT ZERO the origin of ABAKALIKI cadastral surveys. The boundaries run in straight lines the bearings and length of which are as follows: Bearing Lengths in: M S/N From Degree (°) Minute (') Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572	Local Government Area of the Ebonyi State of Nigeria, containing an Area of approximately
Starting at concrete pillar marked AS 77573 the coordinates of which are: 255718.003 Metres North and 626779. 71 Metres East of a concrete pillar marked NAT ZERO the origin of ABAKALIKI cadastral surveys. The boundaries run in straight lines the bearings and length of which are as follows: Bearing Lengths in: M S/N From Degree (°) Minute (') Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	655,536 Square Metres / Square Hectares shown on Ebonyi State of Nigeria Survey Plan
Starting at concrete pillar marked	No. DA/EB 83/2010 (Tracing No) the
Starting at concrete pillar marked the coordinates of which are: 255718.003 Metres North and 626779.071 Metres East of a concrete pillar marked NAT ZERO the origin of ABAKALIKI cadastral surveys. The boundaries run in straight lines the bearings and length of which are as follows: Bearing Lengths in: M S/N From Degree (°) Minute (') Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572	boundaries of which are described below.
NAT ZERO the origin of ABAKALIKI cadastral surveys. The boundaries run in straight lines the bearings and length of which are as follows: Bearing Lengths in: M S/N From Degree (°) Minute (') Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	Starting at concrete pillar marked the coordinates of which are:
Bearing Lengths in: M To	255718.003 Metres North and 626779.071 Metres East of a concrete pillar marked
Bearing Lengths in: M S/N From Degree (°) Minute (') Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	NAT ZERO the origin of ABAKALIKI cadastral surveys. The boundaries run
S/N From Degree (°) Minute (`) Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	in straight lines the bearings and length of which are as follows:
S/N From Degree (°) Minute (`) Length To AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	어떻게 되었다.
AS 77573 90 36 30.49 AS 77574 AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	Bearing Lengths in: M
AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E AS 77572 AS 77572 00 01 21.41 AS 77573	S/N From Degree (°) Minute (') Length To
AS 77574 179 28 21.45 SC-EBAA1689E . SC-EBAA1689E 270 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	
AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E AS 77572 40 30.70 AS 77572 AS 77572 00 01 21.41 AS 77573	AS 77573 90 36 30.49 AS 77574
SC-EBAA1689E 270 40 30,70 AS 77572 AS 77572 00 01 21.41 AS 77573	
AS 77572 00 01 21.41 AS 77573	ATTICK BELLEVILLE OF THE PARTY
AS 77572 00 01 21.41 AS 77573	ATTICK BELLEVILLE OF THE PARTY
以表现的时间。例如他的对象是是是一种,可以是一种,但是一种,他们就是一种,他们的一种,他们就是一种,他们就是一种的一种,他们的一种,他们的一种,他们的一种,他们 第一个一种,我们们的一种,我们们们的一种,我们们们们们们们的一种,我们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们	AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572
STARTING . POINT	AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 270 40 30.70 AS 77572
	AS 77574 179 28 21.45 SC-EBAA1689E SC-EBAA1689E 30.70 AS 77572

All property beacons are concrete pillars, all bearing and length approximate and all bearings are referred to National /True North.

For Surveyor-General
Ebonyi State of Nigeria

ELIMS® Beacon Capture Template (Main Page)